

www.cleaninglink.com/airkem/QUIK\_FILL\_520

AIRKEM PROFESSIONAL PRODUCTS ECOLAB -- QUIK FILL 520 - 2.5 GAL - WINDOW  
CLEANER CONCENTRATE

MATERIAL SAFETY DATA SHEET

NSN: 685000F032556

Manufacturer's CAGE: 89044

Part No. Indicator: A

Part Number/Trade Name: QUIK FILL 520 - 2.5 GAL

=====  
=====

General Information

=====  
=====

Item Name: WINDOW CLEANER CONCENTRATE

Company's Name: AIRKEM PROFESSIONAL PRODUCTS/ECOLAB INC

Company's Street: 370 WABASHA ST N

Company's City: ST PAUL

Company's State: MN

Company's Country: US

Company's Zip Code: 55102-1307

Company's Emerg Ph #: 800-328-0026/612-293-2570

Company's Info Ph #: 800-247-5362/612-293-2570

Record No. For Safety Entry: 001

Tot Safety Entries This Stk#: 001

Status: SE

Date MSDS Prepared: 26AUG91

Safety Data Review Date: 20JAN94

Preparer's Company: AIRKEM PROFESSIONAL PRODUCTS/ECOLAB INC

Preparer's St Or P. O. Box: 370 WABASHA ST N

Preparer's City: ST PAUL

Preparer's State: MN

Preparer's Zip Code: 55102-1307

MSDS Serial Number: BSZVM

=====  
=====

Ingredients/Identity Information

=====  
=====

Proprietary: NO

Ingredient: 2-BUTOXYETHANOL (ETHYLENEGLYCOL MONOBUTYL ETHER), BUTYL  
CELLOSOLVE, BUTYL GLYCOL, GLYCOL ETHER EB

Ingredient Sequence Number: 01

Percent: 40

NIOSH (RTECS) Number: KJ8575000

CAS Number: 111-76-2

OSHA PEL: 50 PPM (SKIN)

ACGIH TLV: 25 PPM (SKIN)

Other Recommended Limit: 25 PPM (SKIN)

-----  
Proprietary: NO

Ingredient: ISOPROPANOL (ISOPROPYL ALCOHOL), 2-PROPANOL, DIMETHYL  
CARBINOL

Ingredient Sequence Number: 02

Percent: 8

NIOSH (RTECS) Number: NT8050000

CAS Number: 67-63-0

OSHA PEL: 400 PPM  
ACGIH TLV: 400 PPM  
Other Recommended Limit: 400 PPM

====

Physical/Chemical Characteristics

====

Appearance And Odor: CLEAR BLUE LIQUID, GLYCOL ETHER/ALCOHOL ODOR  
Boiling Point: 212F  
Specific Gravity: 0.95-0.96  
Solubility In Water: COMPLETE  
pH: 7

====

Fire and Explosion Hazard Data

====

Flash Point: 100F  
Flash Point Method: TCC  
Extinguishing Media: PRODUCT DOES NOT SUPPORT COMBUSTION.

====

Reactivity Data

====

Stability: YES  
Cond To Avoid (Stability): HEAT, SPARKS, OPEN FLAME  
Materials To Avoid: MIX ONLY W/WATER.  
Hazardous Poly Occur: NO

====

Health Hazard Data

====

Route Of Entry - Inhalation: YES  
Route Of Entry - Skin: YES  
Route Of Entry - Ingestion: YES  
Health Haz Acute And Chronic: EYES & SKIN: IRRITATION. INGESTION:  
HARMFUL.  
INHALATION: IRRITATION OF THE AIRWAYS & LUNGS. ABSORPTION HAZARD.  
Carcinogenicity - NTP: NO  
Carcinogenicity - IARC: NO  
Carcinogenicity - OSHA: NO  
Explanation Carcinogenicity: NONE  
Signs/Symptoms Of Overexp: EYES: INJURY.  
Med Cond Aggravated By Exp: ASTHMA & OTHER LUNG PROBLEMS.  
Emergency/First Aid Proc: EYES: FLUSH W/WATER. SKIN: FLUSH W/WATER,  
THEN  
WASH W/SOAP & WATER. INGESTION: RINSE MOUTH, THEN GIVE 1-2 LARGE  
GLASSES OF  
WATER. DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

====

Precautions for Safe Handling and Use

====

Steps If Matl Released/Spill: DIKE/DAM LARGE SPILLS & PUMP INTO CONTAINERS OR SOAK UP ON INERT ABSORBENT MATERIAL. FLUSH RESIDUE TO SEWER. ELIMINATE IGNITION SOURCES.  
Waste Disposal Method: DISPOSE I/A/W LOCAL, STATE & FEDERAL REGULATIONS.  
Precautions-Handling/Storing: STORE IN COOL PLACE AWAY FROM HEAT, SPARKS, & OPEN FLAME.  
Other Precautions: KEEP AWAY FROM CHILDREN.

=====  
=====  
Control Measures  
=====

=====  
Respiratory Protection: WEAR NIOSH/MSHA APPROVED ORGANIC VAPOR RESPIRATOR IN HIGH CONCENTRATIONS.  
Ventilation: VENTILATE TO MAINTAIN LEVELS BELOW LIMITS.  
Protective Gloves: RUBBER  
Eye Protection: SPLASHPROOF GLASSES  
=====

=====  
Transportation Data  
=====

=====  
Disposal Data  
=====

=====  
Label Data  
=====

=====  
Label Required: YES  
Technical Review Date: 20JAN94  
Label Date: 20JAN94  
Label Status: F  
Common Name: QUIK FILL 520 WINDOW CLEANER CONCENTRATE  
Chronic Hazard: NO  
Signal Word: DANGER!  
Acute Health Hazard-Severe: X  
Contact Hazard-Severe: X  
Fire Hazard-Moderate: X  
Reactivity Hazard-Slight: X  
Special Hazard Precautions: EYES & SKIN: IRRITATION. INGESTION: HARMFUL.  
INHALATION: IRRITATION OF THE AIRWAYS & LUNGS. ABSORPTION HAZARD. TARGET ORGANS: EYES, SKIN, RESPIRATORY & DIGESTIVE TRACTS, LUNGS.  
Protect Eye: Y  
Protect Skin: Y  
Protect Respiratory: Y  
Label Name: AIRKEM PROFESSIONAL PRODUCTS/ECOLAB INC

Label Street: 370 WABASHA ST N

Label City: ST PAUL

Label State: MN

Label Zip Code: 55102-1307

Label Country: US

Label Emergency Number: 800-328-0026/612-293-2570

Year Procured: UNK