

SECTION I

PRODUCT IDENTIFICATION -

Product Name: Finney MARK OFF P701 DOT Proper Shipping Name: Flammable liquid, n.o.s. (contains Isopropyl alcohol, Propylene glycol n butyl ether), 3, UN 1993, PG III

Formula Type: Aqueous glass cleaner containing surfactant, and isopropyl alcohol.

SECTION II

HAZARD RATING - 0 = MINIMAL 1 = SLIGHT 2 = MODERATE 3 = SERIOUS 4 = SEVERE

Health: **2** Reactivity: **0** Fire: **2** Special: **B**

SECTION III

HAZARDOUS INGREDIENTS -

Name	C.A.S. No.	%	Exposure Limit
Isopropyl alcohol	67-63-0	<20	STEL 500 ppm, 1,250 mgm/m ³
Propylene glycol n butyl ether	5131-66-8	<20	NA

The criteria for listing components in this section are as follows: Carcinogens are listed when present at 0.1% or greater, components which are otherwise hazardous according to OSHA are listed when present at 1% or greater. Non hazardous components are not listed. This is not a composition disclosure.

SECTION IV

PHYSICAL DATA

Appearance/Odor:	Clear liquid/alcohol odor	Solubility in Water:	complete	Evaporation Rate (butyl acetate=1):	<1
Specific Gravity:	0.98-1.00	pH: Conc.	7.3-7.7	Vapor Pressure (mm HG):	NA
% Evaporation by Volume:	> 99 %	Boiling Point (F°):	≈ 200°F.	Vapor Density (air=1):	2.1

SECTION V

FIRE AND EXPLOSION INFORMATION -

Flashpoint (F°) (Method Used): 102° F. (Flammable liquid) (CC)

Extinguishing media: xx foam xx CO₂ xx dry chemical xx water fog other not applicable

Special fire fighting procedures: Wear self contained breathing apparatus and protective clothing. Keep containers cooled with water spray.

Unusual fire and explosion hazard: Vapors may cause a flash fire or ignite explosively. Prevent build up of vapors to explosive concentrations.

SECTION VI

HEALTH HAZARD DATA - Primary routes of entry: eyes, skin, ingestion, and inhalation

Signs and symptoms -

Eye Contact: May be severely irritating to eyes.

Skin Contact: Prolonged or repeated exposure may cause drying or irritation to skin.

Inhalation: May cause drowsiness and irritation to nose, throat and respiratory tract..

Ingestion: May be harmful if swallowed. May cause nausea or vomiting.

Medical conditions generally aggravated by exposure: None known.

FIRST AID PROCEDURES -

Eye Contact: Immediately flush with cool running water for 15 minutes, while holding eyelids apart. Contact a physician immediately.

Skin Contact: Immediately flush skin with cool running water. Contact a physician if irritation develops.

Inhalation: If effects occur, move to fresh air. If irritation persists, seek medical attention.

Ingestion: If conscious, drink large quantities of water and induce vomiting. Call a physician or poison control center immediately. Never give anything to drink to an unconscious person.

SECTION VII

REACTIVITY DATA -

Stability: Stable

Incompatibility (materials to avoid): Strong acids, oxidizers

Hazardous decomposition products: Oxides of carbon

Hazardous polymerization: Will not occur

SECTION VIII

SPILL LEAK PROCEDURES -

Steps to be taken in case material is released or spilled: Small spill: mop up and rinse area. Large spills: Dike spill. Absorb with inert material. Containerize. Rinse area with water. Keep out of storm sewers and waterways.

Waste disposal information: In accordance with federal, state, and local ordinances.

SECTION IX

SPECIAL PROTECTION INFORMATION -

Respiratory Protection: None generally required. NIOSH respirator if TLV is exceeded.

Ventilation: Central room or local exhaust.

Protective gloves: Advised if there us repeated or prolonged skin contact.

Eye Protection: Eye protection needed if splash conditions prevail.

Other protective measures: None

SECTION X

SPECIAL PRECAUTIONS -

Handling and Storage: Keep container closed when not in use. Do not breathe mists or vapors. Store in cool dry place away from sources of ignition. Mix only with water. For industrial and institutional use only. Keep out of reach of children. Wash contaminated clothing before reuse.

SECTION XI

TOXICITY DATA -

This product does not contain materials considered to be carcinogenic by the NTP, IARC, or OSHA.

SECTION XII

REGULATORY INFORMATION -

DOT regulated as a Class 3 Flammable liquid, n.o.s. (contains Isopropyl alcohol, Propylene glycol n butyl ether), 3, UN 1993, PG III

SECTION XIII

DOCUMENTARY INFORMATION -

Date issued: 8/05/2008 Supercedes: 3/25/2005 Reason for update: Routine review and update format

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.