

HYDROSOL, INC. -- WARP'S FLEX-O-GLAZE ACRYLIC CLEANER/POLISH -- 7930-00F008353

=====
Product Identification
=====

Product ID:WARP'S FLEX-O-GLAZE ACRYLIC CLEANER/POLISH

MSDS Date:01/25/1982

FSC:7930

NIIN:00F008353

MSDS Number: BGV CX

=== Responsible Party ===

Company Name:HYDROSOL, INC.

Address:455 FRONTAGE ROAD

City:BURR RIDGE

State:IL

ZIP:60521

Info Phone Num:(312) 598-5448

Emergency Phone Num:(312) 598-5448

CAGE:FO344

=== Contractor Identification ===

Company Name:HYDROSOL INC

Address:455 FRONTAGE RD SUITE 315

Box:City:BURR RIDGE

State:IL

ZIP:60521-7101

Country:US

Phone:708-598-7100

CAGE:9J942

Company Name:HYDROSOL, INC.

Address:455 FRONTAGE ROAD

City:BURR RIDGE

State:IL

ZIP:60521

Phone:(312) 598-5448

CAGE:FO344

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOBUTANE

CAS:75-28-5

RTECS #:TZ4300000

Fraction by Wt: 5%

Other REC Limits:1000 PPM

OSHA PEL:1800 MG/CUM

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: ASPHYXIATION. SHORTNESS OF BREATH. SKIN/EYES: MILD IRRITATION IF EXPOSURE IS EXCESSIVE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: ASPHYXIATION. SHORTNESS OF BREATH. SKIN/EYES: MILD IRRITATION.

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE FROM EXPOSURE. RESTORE BREATHING.

ADMINISTER OXYGEN. CONTACT PHYSICIAN. SKIN: WIPE OFF W/TOWEL. WASH W/ SOAP & WATER. CONSULT PHYSICIAN. EYES: FLUSH IMMEDIATELY W/LARGE

QUANTITIES OF RUNNING WATER FOR AT LEAST 15 MINUTES. CONSULT PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Lower Limits:1.8%
Extinguishing Media:LIQUID CONTENT OF CONTAINER WILL NOT SUPPORT COMBUSTION.
Fire Fighting Procedures:WATER SPRAY INEFFECTIVE. WATER COOL CLOSED CONTAINERS TO PREVENT BUILD-UP & EXPLOSION DUE TO EXTREME HEAT. FOG NOZZLES ARE PREFERABLE. WEAR SCBA & GOOGLES.
Unusual Fire/Explosion Hazard:CANS WILL RUPTURE FROM INTERNAL PRESSURE AT ELEVATED TEMPERATURES & DISCHARGE CONTENTS. WHEN HEATED TO DECOMPOSITION, TOXIC FUMES ARE FORMED.

=====
Accidental Release Measures
=====

Spill Release Procedures:AVOID BREATHING VAPORS. VENTILATE AREA. REMOVE W/INERT ABSORBENT.

=====
Handling and Storage
=====

Handling and Storage Precautions:DON'T STORE >120F. DON'T SPRAY IN EYES. DON'T PUNCTURE OR INCINERATE CANS. DON'T STICK PIN, NAIL OR ANY OTHER SHARP OBJECTS INTO OPENING ON TOP.
Other Precautions:THE STORAGE OF NONFLAMMABLE PRODUCTS W/NONFLAMMABLE OR FLAMMABLE PRESSURIZING AGENT IN CARTONS IS THE SAME AS FOR ORDINARY CANNED GOODS IN CARTONS. DON'T TAKE INTERNALLY. CONSUMER COMMODITY.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:AVOID BREATHING VAPORS.
Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP <TLV.
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:-21-212F
Vapor Density:HEAVIER
Evaporation Rate & Reference:<ETHER

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:STORAGE ABOVE 120F AS CANS MAY BURST. DROPPING AS CANS MAY BURST. OPEN FLAME AND HOT SURFACES.
Hazardous Decomposition Products:CO & OTHER TOXIC FUMES

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL STATE & FEDERAL REGULATIONS. INCINERATE IN APPROVED FACILITY. DON'T INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.