

KALCO METALS, INCORPORATED

MATERIAL SAFETY DATA SHEET

We believe the following information is accurate. It is offered in good faith but without warranty – express or implied. Since conditions of use are beyond our control, all risks of use are assumed by the user. Nothing herein shall be construed as a recommendation for uses which infringe on valid patents.

SECTION I – GENERAL INFORMATION

<i>Manufacturer</i>	Kalco Metals, Incorporated 650 Broadway Avenue Farrell, Pennsylvania 16121	<i>Date Prepared</i>	02/ 17/ 2001
		<i>Emergency Telephone Number</i>	(724) 347-

2208

Identity/ Trade Name **High Carbon Ferro Shot, High Carbon Iron Shot (All Sizes)**

SECTION II – INGREDIENTS / IDENTITY INFORMATION

<i>Material or Component</i>	<i>BASE METAL</i>	<i>CAS NUMBER</i>	<i>% COMPOSITION BY WEIGHT</i>	<i>OSHA PEL (mg/ m³)</i>	<i>ACGIH TLV (mg/ m³)</i>
Iron, Fe			95 – 97	10.0	10.0
Carbon, C			2.50 – 4.50	10.0	10.0

SECTION III – PHYSICAL / CHEMICAL CHARACTERISTICS

<i>Material at Normal Conditions</i>	SOLID	<i>Boiling Pt.</i>	3700 - 3900 F	<i>Melting Pt.</i>	2200 – 2550
<i>Specific Gravity</i>	App. 6.0 – 6.5	<i>Solubility in Water</i>	Insoluble	<i>pH</i>	NA
<i>Reactivity in Water</i>	None	<i>Appearance /Odor</i>	Metallic appearance; no odor		

F

odor

SECTION IV – FIRE and EXPLOSION HAZARD DATA

<i>Flash Point</i>	NA	<i>Flammable Limits</i>	NA	<i>Extinguishing Media</i>	Non Flammable; Preferably Dry
--------------------	----	-------------------------	----	----------------------------	-------------------------------

Powder

Unusual Fire and Explosion Hazards None

NA = Not Applicable

SECTION V – REACTIVITY DATA

<i>Stable Under Normal Conditions</i>	YES	<i>Conditions to Avoid</i>	NONE
<i>Materials to Avoid</i>	Anhydrous Bromine; Chlorine; Fluorine; Strong Oxidizers & Acids		
<i>Hazardous Decomposition Products</i>	May Release Metal Oxide Fumes By Thermal Decomposition		
<i>Hazardous Polymerization Possible</i>	NO		

SECTION VI – HEALTH HAZARDS DATA

<i>Routes of Entry</i>	Inhalation, Ingestion, Skin, and Eyes if material machined
<i>Acute and Chronic Health Hazards</i>	No Known Chronic or Acute Hazards
<i>Signs and Symptoms of Exposure</i>	Eye – Irritation; Skin – Possible Irritation to Sensitive Skin; Respiratory – Possible Irritation
<i>Emergency and First Aid Procedures</i>	Eye and Skin – Flush with Copious Amounts of Water Respiratory – Remove to Fresh Air; Consult Physician If Necessary

SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

<i>Precautions Taken in Handling and Storage</i>	Material Oxides in Air to Form Rust so Keep Material Covered and Dry; Do Not Mix Wet Material with Molten Metal
<i>Steps to be Taken if Material is Spilled</i>	Normal Cleanup
<i>Waste Disposal Method</i>	According to the Requirements of 40 CFR Subtitle C and other Applicable Federal, State, and Local Regulations

SECTION VIII – CONTROL MEASURES

<i>Respiratory Protection:</i>	Select and Use Respirators According to OSHA Regulations 29 CFR 1910.134
<i>Ventilation Requirements:</i>	Local Exhaust and General Ventilation
<i>Local Exhaust:</i>	Use Local Exhaust During Welding, Cutting, or Milling to Avoid Exposure to Metal Oxide Fumes
<i>Mechanical:</i>	Good General Ventilation During Handling of Solid Material Should be Used to Control Dust Generated

Protective Gloves: Gloves Recommended During Handling to Prevent Cuts and Abrasions

Eye Protection: Safety Glasses or Goggles

Other Protective Clothing: Safety Toe Footwear