

Material Safety Data Sheet	Revision No:
	Issue Date: July 25, 2007
	Page: 1/4
Product Name: GLUE STICK	

1: Identification of the substance/Preparation and company

Product Name: Glue Stick
Manufacturer: MEGA Brands America, Inc.
6 Regent Street, Livingston, NJ 07039
Emergency Calls: 973-535-1313 FAX 973-533-9447

2. Composition/information on ingredients

Ingredients	CAS#	% BY WEIGHT
Water	7732-18-5	59.7
Polyvinyl Pyrrolidone	9003-39-8	18
Polyvinyl Alcohol	9002-89-5	2
Glycerin	56-81-5	10.5
Sodium Stearate	822-16-2	8
Dimethyl Silicone Oil	497-19-8	1.3

3. Hazard Identification

Hazard designation

Eyes	May cause irritation on prolonged or repeated contact.
Skin	May cause irritation on prolonged or repeated contact.
Ingestion	Not expected to be harmful under normal conditions of use.
Inhalation:	Not expected to be harmful under normal conditions of use.

4. First aid measures

After skin Contact	It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.
After eye Contact	It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.
After ingestion	If accidentally swallowed, dilute by drinking large quantities of water. Contact local poison control center or physician immediately.

Material Safety Data Sheet	Revision No:
	Issue Date: July 25, 2007
	Page: 2/4
Product Name: GLUE STICK	

After inhalation It is unlikely that emergency treatment will be required.
Remove from exposure. Get medical attention, if needed.

5. Fire fighting Measures

Suitable Extinguishing Media Regular dry chemical, carbon dioxide, water, regular foam

Combustion products and resulting gases None

Special Protective Equipment None

6. Accidental release Measures

Methods for cleaning up Collect spilled material in appropriate container for disposal

7. Handling and storage

Handle in accordance with all current regulations and standards.

Handling & Storage Store in a cool, dry place. Keep container tightly closed. Keep from freezing.

Other Precautions Avoid contact with skin, eyes, face and hair. May cause bonding to direct skin before drying. Also, avoid contact with fabric based furniture, carpeting, etc.

8. Exposure controls/personal protection

Respiration Protection No respirator is required under normal conditions of use.

Hand Protection Hand protection is not required under normal conditions.

Eye Protection Eye protection is not required under normal conditions.

Skin Protection Skin protection is not required under normal conditions.

Material Safety Data Sheet

Revision No:

Product Name: **GLUE STICK**

Issue Date: July 25, 2007

Page: 3/4

9. Physical and chemical properties

Appearance	White/Semi-transparent solid	Auto flammability	N/A
Color	Various colors	Explosive properties	N/A
Odor	Slight bland	Oxidizing properties	N/A
PH @ 25°C	10	Vapor pressure, mm Hg @ 20°C	17.5
Boiling point/boiling range	100°C	Vapor density (Air=1)	<1
Melting point/melting range	N/A	Solubility in water	Dispersible
Flash point	N/A	Specific Gravity	N/A
Flammability	N/A	Others	N/A

10. Stability and reactivity

Incompatibilities	Oxidizers, acids or bases
Decomposition products may include	Oxides of carbon and nitrogen
Hazardous Polymerization	Will not occur

11. Toxicological information

NOT AVAILABLE

12. Ecological information

NOT DETERMINED

Material Safety Data Sheet	Revision No:
	Issue Date: July 25, 2007
	Page: 4/4
Product Name: GLUE STICK	

13. Disposal considerations

Methods of disposal Dispose in accordance to local, state/provincial, and federal requirements.

14. Transport information

UN number No classification assigned

Hazard class

Packing group

Air transport

Sea transport

Inland transport

15. Regulatory information

Marking according to EU regulations NOT AVAILABLE

Contains

Symbols

R-phrases

S-phrases

Others

16. Other information

Glue Stick (PVP) conforms to ASTM D-4236 and EN-17, Part 3.