



# MATERIAL SAFETY DATA SHEET

## Aerosol Nu-Kill

### I - PRODUCT IDENTIFICATION

**Company Name:** Nu-Calgon Wholesaler, Inc.  
**Address:** 2008 Altom Court, St. Louis, MO 63146-4151  
**Product Name:** Aerosol Nu-Kill  
**Synonyms:** (Aerosol) Pesticides - Wasp & Hornet  
EPA Regis. No. 10807-48-65516  
EPA Est. No. 10807-GA-1

**Tel No:** (314) 469-7000, (800) 554-5499  
**CHEMTREC:** (800) 424-9300  
**Product Number:** 4292

### II - HAZARDOUS INGREDIENTS OF MIXTURES

<u>MATERIAL</u>	<u>CAS#</u>	<u>% By Wt</u>	<u>TLV</u>	<u>PEL</u>
Acetone	67-64-1	<10	350ppm	350ppm
Pyrethrin	8003-34-7	<5	5mg/m3	5mg/m3
Isopropanol	67-63-0	<5	400ppm	500 ppm
Insecticide Concentrate: 0.5 propoxur **	114-26-1	<5	0.5mg/M3	0.5mg/M3
Piperonyl butoxide, Technical **	51-03-6		N/E	N/E
N-octyl bicycloheptene dicarboximide	113-48-4		N/E	N/E

\*\* SARA III Listed

All ingredients are TSCA listed.

### III - PHYSICAL DATA

**Vapor Pressure:** mm Hg: N/A  
**Evaporation Rate:** (ether=1): >ether  
**Solubility in H<sub>2</sub>O:** insoluble  
**Freezing Point °F:** N/A  
**Boiling Point °F:** N/A  
**Specific Gravity H<sub>2</sub>O=1 @25° C:** 0.7819

**Vapor Density (Air=1) 60-90° F:** >air  
**VOC Content (% by wt.):** 99  
**pH @ N/A Solution:** N/A  
**pH as Distributed:** N/A  
**Appearance:** Pesticides  
**Odor:** Pesticides

### IV - FIRE AND EXPLOSION

**Flash Point F:** N/A **Flammable Limits:** N/A  
**Extinguishing Media:** Carbon Dioxide, dry chemical or foam.  
**Special Fire Fighting Procedures:** Water may be ineffective. Water may be used to keep fire exposed containers cool.  
**Unusual Fire and Explosion Hazards:** Do not spray near open flame or expose to temperatures above 130°F. Keep at room temperature as exposure to direct sunlight or other heat may cause bursting.

### V - REACTIVITY DATA

**Stability - Conditions to avoid:** Stable - Overexposure in confined area. Open flame, welding arcs, extreme heat, sparks  
**Incompatibility:** Alkaline materials and water  
**Hazardous Decomposition Products:** By open flame: Carbon Monoxide, Carbon Dioxide,  
**Conditions Contributing to Hazardous Polymerizations:** Will not occur.

### VI - HEALTH HAZARD DATA

**EFFECTS OF OVEREXPOSURE (Medical Conditions Aggravated /Target Organ Effects),**  
**A. ACUTE (Primary Route of Exposure)** In a confined area vapors in high concentration are anesthetic. Irritant to skin and upper respiratory system. Over-exposure may result in headache, dizziness, asphyxia, anesthetic effects, and possible unconsciousness. Irritant to eyes and skin. Possible chemical pneumonitis if aspirated into lungs. Nausea.  
**B. SUBCHRONIC, CHRONIC, OTHER:** Repeated and prolonged overexposure (to raw materials) may cause cardiac abnormalities, central nervous system depression, lung, kidney, liver damage; inhibits cholinesterase.  
**C. MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:**

---

## VII - EMERGENCY AND FIRST AID PROCEDURES

---

**INHALATION:** Remove to fresh air. Resuscitate if necessary; seek medical attention

**EYES:** Flush with water for at least 15 minutes; if irritated, seek medical attention.

**SKIN:** Flush with soap and water for at least 15 minutes; if irritated, seek medical attention.

**INGESTION:** GET MEDICAL ATTENTION IMMEDIATELY. Atropine sulfate is antidote. Treat like typical organic phosphate poisoning. Induce vomiting only at physician's recommendation.

---

## VIII - SPILL OR LEAK PROCEDURE

---

**Spill Management:** Remove all sources of ignition, ventilate, avoid breathing vapors. Remove with inert absorbents.

**Waste Disposal Methods:** Do not incinerate - dispose of in accordance with federal, state and local regulations regarding pollution.

---

## IX - PROTECTION INFORMATION/CONTROL MEASURES

---

**Respiratory:** Avoid breathing vapor or spray mist.

**Eye Protection:** Safety glasses **Glove:** Disposable

**Other Clothing and Equipment:** Protective gloves for prolonged or repeated contact. Use gloves recommended by glove supplier for protection against materials in Section II.

**Ventilation:** Provide local exhaust ventilation in volume and pattern to keep TLV of all hazardous ingredients in Section II below acceptable limit, and LEL in Section II below stated limit

---

## X - SPECIAL PRECAUTIONS

---

**Precautions to be taken in Handling and Storing :** Do not store above 120°F. Keep at room temperature to avoid bursting. Keep away from children. Do not puncture or incinerate. Do not spray near fire or open flame.

**Additional Information:** None.

### NFPA

Health Hazard.....: 2

Fire Hazard.....: 3

Reactivity.....: 0

Specific Hazard....:

### HMIS RATING

Health Hazard.....: 2

Fire Hazard.....: 3

Reactivity.....: 0

Personal Protection...: X (Sec. 9)

**Revision Date:** 03/19/2002

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. While Seller believes that the information contained herein is accurate, such information is offered solely for its customers' consideration and verification under their specific use conditions.