

SSS CLEANSER

Manufactured For:

TRIPLE S
2 Executive Park Drive
Billerica, MA 01862

Information: (800) 323-2251
Emergency: (888) 779-1339

SECTION 2 - COMPOSITION - INFORMATION ON INGREDIENTS

REPORTABLE COMPONENTS	EXPOSURE LIMIT(S)	CAS NUMBER	WEIGHT/PERCENTS
SODIUM CARBONATE		497-19-8	TRADE SECRET
SILICON DIOXIDE		14808-60-7	TRADE SECRET
SODIUM DODECYLBENZENESULFONATE		25155-30-0	TRADE SECRET

These basic materials have been identified as eye, skin, mucous membrane irritants.

NO MATERIAL(S) SUBJECT TO THE REPORTING REQUIREMENTS OF SARA TITLE III SECTION 33.3

SECTION 3 - HAZARDS - IDENTIFICATION

EMERGENCY OVERVIEW

SCENTED WHITE POWDER. CAUSES EYE IRRITATION. MAY CAUSE RESPIRATORY TRACT IRRITATION

POTENTIAL HEALTH EFFECTS

INHALATION: May cause respiratory tract irritation. Prolonged or repeated inhalation can cause silicosis.

EYE CONTACT: Causes eye irritation.

SKIN CONTACT: Irritation is highly unlikely except on prolonged contact.

SKIN ABSORPTION: Not capable of being absorbed.

INGESTION: Not expected to cause any hazard in normal industrial use.

CHRONIC HEALTH RISKS: None known

CARCINOGENICITY: NTP

CARCINOGEN: NO

IARC MONOGRAPHS: YES

HMS RATING(S)

HEALTH: 1

FLAMMABILITY: 0

REACTIVITY: 0

PPE: See Section 8

OSHA REGULATED: NO

SECTION 4 - FIRST AID MEASURES

IF INHALED: Remove to fresh air. If breathing is difficult, get medical attention.

IF IN EYES: Immediately flush with plenty of water for at least 15 minutes, get medical attention.

IF ON SKIN: Immediately wash with soap and plenty of water. Remove contaminated clothing.

Wash clothing before re-use. Get medical attention if symptoms occur.

IF SWALLOWED: Drink a glass of milk or water to dilute, do not induce vomiting, get medical attention.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

NOTES TO PHYSICIAN: None

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT: None *METHOD USED: None* *L&L: None*

NFPA RATINGS: HEALTH: 1 *FLAMMABILITY: 0* *REACTIVITY: 0* *UEL: None*

EXTINGUISHING MEDIA: Material does burn. Extinguish fire using agent suitable for surrounding fire. Cool containers with water spray.

SPECIAL FIREFIGHTING PROCEDURES: None known

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL / LEAK PROCEDURES: Clean up spills immediately, observing precautions in Section 8 for protective equipment. Take up with mop or broom. Rinse promptly with water. place in appropriate container for disposal.

SECTION 7 - HANDLING AND STORAGE

SUGGESTED STORAGE TEMPERATURE: Store inside at ambient temperature

SPECIAL HANDLING AND STORAGE: Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of material from eyes, skin and clothing. Store in a cool and dry ventilated area. Keep out of reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION: None needed under normal conditions.

VENTILATION: Use with adequate ventilation.

EYE PROTECTION: Use safety goggles.

PROTECTIVE GLOVES: If needed.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: If needed.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PH: N/A	PHYSICAL STATE: POWDER	SOLUBILITY H2O: SLIGHT
VAPOR DENSITY: NONE	% VOLATILES - VOL: <0.5	VAPOR PRESSURE: NONE
FREEZING POINT: NONE	BOILING POINT: NONE	MELTING POINT: NONE
SPEC. GRAVITY: NONE	ODOR / APPEARANCE: SCENTED WHITE POWDER	

SECTION 10 - STABILITY AND REACTIVITY

STABILITY: Stable
CONDITIONS TO AVOID: None known
INCOMPATIBILITY: Do not mix with ammonia or other household chemicals.
HAZARDOUS POLYMERIZATION: None known
HAZARDOUS DECOMPOSITION PRODUCTS: None known

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICOLOGICAL PROFILE: Contains sodium dodecylbenzenesulfonate (CAS 25155-30-0)
Oral LD50 (rat) 1260 MG/KG; Silica, Crystalline Quartz (CAS 14808-60-7)
Prolonged or repeated breathing of silica dust can cause a disease known as silicosis. Silica is listed as an IARC Group/2A carcinogen - probably human carcinogen, NTP anticipated carcinogen, and as an OSHA hazardous substance.
Contains sodium carbonate (CAS 497-19-8) Oral LD50 (rat) 4090 MG/KG

SECTION 12 - ECOLOGICAL INFORMATION

ECOLOGICAL PROFILE: No data available

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of the concentrate or spent solutions and rinses by flushing with water into waste treatment systems when allowed by federal, state and local ordinance(s).

SECTION 14 - TRANSPORT INFORMATION

U.S. DOT - PROPER SHIPPING NAME: Compound, cleaning, powder or dry
HAZARD CLASS: Not regulated by the DOT
HAZARD CLASS: Not regulated by the DOT
HAZARD CLASS: Not regulated by the DOT
ID NUMBER: None
HAZARDOUS SUBSTANCE: None
PACKING GROUP: None
MARINE POLLUTANT: No

SECTION 15 - REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS: Sodium Dodecylbenzenesulfonate is listed as a CERCLA hazardous substance (40 CFR 302.4 RQ=1000LBS)
CALIFORNIA PROP 65 INFORMATION: No material present subject to reporting.
STATE RIGHT TO KNOW INFORMATION:
INERT:

SODIUM CARBONATE	497-19-8
SILICA, CRYSTALLINE QUARTZ	14808-60-7
SODIUM DODECYLBENZENESULFONATE	25155-30-0

SECTION 16 - OTHER INFORMATION

DATE PREPARED: 5/8/01
NAME OF PREPARER: FB
The manufacturer believes that the information and recommendations contained herein (including data and statements) are accurate as of the date shown. No warranty of fitness for any particular purpose, warranty of merchantability, or any other warranty, expressed or implied, is made concerning the information provided herein.
The information provided herein relates only to the specific product designated and may not be valued where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of Triple S, Triple S expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.