

MATERIAL SAFETY DATA SHEET  
 DATE PREPARED - MAY 1997

NFPA RATING  
 Health : 1  
 Flammability : 3  
 Reactivity : 0  
 Personal Protection : A

Identity:  
 : LIFE GUARD  
 : 3003

Section I

Manufacturers Name; WELL WORTH PRODUCTS INC.  
 Address 235 Surrey Run Wmsvl, NY 14221  
 Emergency telephone no. 800-424-9300  
 Telephone no. for information (800) 890-7935

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s))	CAS #	OSHA PEL	ACGIH TLV	STEL	%
: AROMATIC DISTILLATES	: 64742-47-8	: 100 PPM	: 100 PPM	:	: 40-70
: BENTONITE	: 1302-78-9	: N/D	: N/D	:	: 1-5
: METHANOL	: 67-56-1	: 200 PPM	: 200 PPM	: 250	: 1-5
: PROPANE/ISOBUTANE BLEND	: 68476-86-8	: 1000 PPM	: 1000 PPM	: ASPHX	: 15-30
:	:	:	:	:	:
:	:	:	:	:	:
:	:	:	:	:	:
:	:	:	:	:	:
:	:	:	:	:	:
:	:	:	:	:	:
:	:	:	:	:	:
* SEE ATTACHMENT SHEET PAGE 3.					
DOT SHIPPING-CONSUMER COMMODITY ORM-D					

Section III-Physical/Chemical Characteristics

Boiling Point-Range: -40F TO 315  
 Vapor Pressure PSIG @ 70F: 65-75  
 Vapor Density(Air=1) Heavier than Air: YES  
 Solubility in Water: NEGLIGABLE  
 Appearance and Odor: PURPLE VISCOUS LIQUID WITH CHARACTERISTIC SOLVENT ODOR.

Specific Gravity : .83  
 H2O=1 at STP  
 Melting Point-Liquid: N/A  
 Evaporation Rate: FASTER (Water=1)

Section IV-Fire and Explosion Hazard Data

Flash Point Propellant: -40F  
 Flash Point Of Product: -4F  
 Method Used (TCC)  
 Extinguishing Media Use water fog, dry chemical or carbon dioxide  
 Special Fire Fighting Procedures Fire fighters should wear NIOSH approved positive pressure self-contained breathing apparatus. Aerosol cans may rupture when heated.  
 Unusual Fire and Explosion Hazards Heated cans may burst.

Flammable Limits LEL UEL  
 : N/A : N/A

Stability -- Unstable: Conditions to Avoid--: HEAT, SPARKS AND  
 Stable: YES ; OPEN FLAMES.

Incompatibility (Materials to Avoid):  
 : STRONG ACIDS, ALKALIES, AND OXIDANTS

Hazardous Decomposition or Byproducts:  
 : CARBON MONOXIDE, CARBON DIOXIDE, PRODUCTS OF INCOMPLETE COMBUSTION.

Hazardous May Occur: Conditions to Avoid:  
 Polymerization Will Not Occur: YES : NONE PRESENTLY KNOWN.

## Section VI - Health Hazard Data

Routes of Entry --	Inhalation? yes	Skin? yes	Ingestion? yes
Health Hazards (Acute and Chronic)--			
May cause dizziness or narcosis in high vapor concentrations. Will cause defat-			
ting of skin. Effects are reversible. Long term exposure(years) to vapor may			
cause lung, liver, or kidney damage. The solvents listed have been reported to			
affect the central nervous system.			
: METHANOL		IARC Monographs?	OSHA Reg.?
Carcinogenicity	NTP?		
: NOT PRESENTLY ON ANY LIST			
Signs and Symptoms of Exposure- Inhalation - Difficulty in breathing.			
Skin -Redness Ingestion- vomiting			
- Alcohol consumed before or after exposure may increase adverse effects.			
- Over exposure may cause dizziness and loss of concentration.			
Medical Conditions			
Generally aggravated by Overexposure-			
- See attachment page 3.			
Emergency and First Aid Procedures			
Give oxygen-do not induce vomiting-gastric lavage-wash eyes and skin with			
water.			
: Remove to fresh air, contact physician immediately.			

## Section VII - Precautions for Safe handling and Use

Steps to be Taken in Case Material is Released or Spilled--  
 Use absorbent sweeping compound to soak up material. Pour into container. Dis-  
 pose as hazardous waste.:

Waste Disposal Method--  
 Dispose of waste in accordance with applicable Federal, State, and local re-  
 quirements.

Precautions to be Taken in Handling and Storing--Keep away from heat, sparks or  
 open flame. Store at temperatures below 120F.

Other Precautions --  
 - Avoid prolonged breathing of vapors. Always use with adequate ventilation.

## Section VIII - Control Measures

Respiratory Protection (Specify Type)--  
 Self contained breathing apparatus if above TLV limits are exceeded.

Ventilation	Local Exhaust	Yes	Special	none
Mechanical (General)	none	Other	none	

Protective Gloves -  
 None required if spraying.

Eye Protection -  
 Safety glasses or goggles

Other Protective Clothing or Equipment -  
 Long sleeves and long pants or coveralls.

Work/Hygienic Practices - Do not smoke while using. Wash hands after use.  
 - Concentrated vapors of this product are heavier than air and will collect in  
 low areas, pits, storage tanks and other confined spaces. Do not enter these  
 areas.  
 - Avoid breathing of vapors.  
 - Keep out of reach of children.  
 - Notice: Reports have associated repeated and prolonged occupational  
 overexposure to solvents with permanent brain damage and nervous system  
 damage. Intentional misuse by concentrating and inhaling this product may  
 be harmful or fatal.  
 - If you have a medical condition consult with a physician prior to using this  
 product.

## ATTACHMENT SHEET :

\* Starred items are subject to the reporting requirements of Sara 313 and  
 40 CFR 372. If any of the components in Section II are preceded by a  
 star ( \* ) you must notify each person to whom this product is sold.

State Of California Proposition 65. The following listed chemicals are known  
 to the State of California to cause Cancer and/or Reproductive Toxicity:

: NOT PRESENTLY ON ANY LIST

:  
 :

New Jersey Right to Know:

: SEE SECTION II

:  
 :  
 :  
 :

## ADDITIONAL INFORMATION:

%VOC: 75.7

#/GAL VOC: 5.22

:  
 :

The information contained in this document is believed to be accurate and  
 offered in good faith as typical values, but is not warranted as such. Each  
 user should confirm prior to use, the accuracy and suitability of this  
 information and determine whether it is appropriate for the intended use.  
 : 051997